# Annual Drinking Water Quality Report for 2024 Poughkeepsies' Water Treatment Facility 3431 North Road, Poughkeepsie NY 12601 Public Water Supply NY1302774

The Poughkeepsies' Water Treatment Facility, which is owned and operated by the City and Town of Poughkeepsie, provides drinking water to 80,000 individuals within the City of Poughkeepsie, Town of Poughkeepsie, the Dutchess County Water Authority, and the Town of Hyde Park. To comply with State regulations, The Poughkeepsies' Water Treatment Facility annually issues this report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards. We are proud to report that our system did not violate a maximum contaminant level or any other water quality standard. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or concerning your drinking water, please contact Randy Alstadt, Water Plant Administrator, Poughkeepsies' Water Treatment Facility at 451-4173 x2003 or the Dutchess County Department of Behavioral & Community Health, 85 Civic Center Plaza, Suite 106, Poughkeepsie 12601 at 486-3404. If you want to learn more, please attend any of our regularly scheduled Joint Water Board meetings. The meetings are held the first Monday of every month at the Water Treatment Facility. Minutes and information reviewed at those meetings are available on our web site <a href="https://www.pokwater.com">www.pokwater.com</a>. For additional information you may also visit EPA's drinking water web site (<a href="https://www.epa.gov/safewater/">www.epa.gov/safewater/</a>) and the New York State Department of Health's web site (<a href="https://www.health.state.ny.us">www.health.state.ny.us</a>).

The tables in this report contain various water quality parameters and the concentration of contaminates detected along with the possible source. A copy of this report and the complete list and results of organic and inorganic contaminates tested throughout the 2024 year can be obtained by contacting Water Plant Administrator, Randy Alstadt at 451-4173 x2003. We are pleased to present to you the 2024 Annual Water Quality Report.

#### Where does our water come from?

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems and require monitoring for the contaminants. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Our water source is the Hudson River, which originates from the north in the Adirondacks at Lake Tear of the Clouds, located on the southwest shoulder of Mount Marcy; New York State's highest peak. The Hudson River Watershed is very expansive, covering nearly 12,500 square miles, of which the majority is within New York State, however, small portions are located in Vermont, Massachusetts, Connecticut and New Jersey. Raw water is taken from the Hudson River adjacent to our treatment plant, approximately 1,000 feet from shore at a depth of 48 feet below the mean river elevation. Water quality tests have shown the river to be of very high quality. During 2024, our system did not experience any restriction of our water source.

#### Water Treatment

The Poughkeepsies' Water Treatment Facility utilizes a conventional, state of the art, filtration process to treat the water supply. This process includes chemical application of polyaluminum chloride to stabilize the small particles in the raw water supply. Once stabilized the particles are combined with an organic polymer and previously settled solids, then slowly mixed to form larger particles. The larger particles are then removed through settling. Occasionally carbon dioxide is added prior to this process to aid coagulation for enhanced removal of organic compounds. Following the settling process, ozone is added to assist in the breakdown of organic compounds. The water is then passed through filters made of biologically activated carbon and sand. These filters help polish the water and reduce the organic compounds that can cause disinfection byproducts when water is chlorinated. Disinfection, the process used to kill disease-producing organisms, is accomplished through application of ultraviolet light followed by a carefully monitored chlorination process. Post treatment includes the addition of phosphoric acid

and sodium hydroxide. Phosphoric acid is added at 2.0 mg/L to reduce corrosion of customer's lead piping and fixtures. Sodium hydroxide is added when necessary to increase the treated water to a pH of 7.7 in effort to minimize corrosion of pipes within the distribution system and customers plumbing.

## **Facts and Figures**

The Poughkeepsies' Water Treatment Facility, which is located along the Hudson River within the Marist College Campus on Route 9, was constructed in 1962 and upgraded in 2004 and 2016. The Facility is currently rated at a maximum production capacity of 19.3 million gallons per day (MGD).

In 2024, the treatment facility produced 4,266,851,000 gallons of potable water, approximately 11.658 MGD. Total billed water to the City was 1,847,777,860 gallons (5.049 MGD) while gallons billed to the Town of Poughkeepsie was 1,897,904,059 (5.186 MGD). The cost of production in 2024 was \$1.53 per 1,000 gallons. This equates to 10 gallons of water for \$0.0153!

# Are There Contaminants in our Drinking Water?

To insure maximum water quality for our customers, the Poughkeepsies' Water Treatment Facility staff monitors source, treated and distribution water daily. In addition to continuous plant effluent monitoring for turbidity, chlorine residuals, and pH, approximately 30,000 water quality tests were conducted by the water plant staff in 2024. Operators at our facility analyzed chlorine residual, effluent turbidity and pH 12 times daily or combined or 13,140 analyses. In addition, orthophosphate was analyzed 730 times or twice daily. Additional analyses performed on raw water, plant effluent, and/or distribution system samples included inorganic compounds (metals), volatile organic compounds, total trihalomethanes, haloacetic acids, and synthetic organic compounds. The table presented in this report depicts which compounds were detected in your drinking water. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the Dutchess County Department of Behavioral & Community Health at 486-3404.

#### **Salt Front**

Our water is taken from the Hudson River Estuary, which is subject to increased chloride and sodium levels during low rainfall periods. During 2024, the facility did not experience a salt front episode (defined by USGS as chloride levels exceeding 100 mg/L). The plant effluent was tested for sodium 20 times in 2024 with values ranging from 18 mg/L to 33 mg/L and an average of 24 mg/L.

During normal water years the sodium level varies from 15 – 25 mg/L with higher levels occurring during periods of low rainfall. Customers that are on a salt restricted diet should consult with their physician concerning sodium in their drinking water. Information concerning sodium levels in your water can be obtained at any time by contacting the Water Plant Administrator, Randy Alstadt at 451-4173 x 2003.

#### **Hardness**

The water obtained from the Hudson River is considered moderately hard. The average hardness of the plant effluent in 2024 was 69.75 mg/L or 4.07 grains/gallon.

Poughkeepsies' Water Treatment Facility Table of Detected Contaminants 2024										
Contaminant	Violation Yes/No	Sample Date(s)	Level Detected	Unit of Measure	MCLG	Regulatory Limit	Likely Source of Contamination			
Plant Effluent - Inorganic Contaminants										
Orthophosphate (reported as Phosphorus)	N/A	2 per day	Average = 0.606 Range = 0.244 to 1.06	mg/L	N/A	N/A	Orthophosphate is added at the Poughkeepsies' Water Treatment Facility to inhibit corrosion of lead piping in the distribution system.			
Total Organic Carbon	N/A	1 per week	Average = 1.52 Range = 1.17 to 2.26	mg/L	N/A	N/A	Naturally present in the environment			

Turbidity (Plant Effluent)	No	Continuous Monitoring <sup>1</sup>	Average = 0.037 Range = 0.02 to 0.17	NTU	N/A	MCL = 1 NTU monthly average <sup>2</sup> MCL = 5 NTU two-day average	Soil runoff
Turbidity (Filter Effluent)	No	Continuous Monitoring <sup>1</sup>	Average = 0.045 Range = 0.002 to 0.266	NTU	N/A	TT = 95% of samples < 0.3 NTU <sup>3</sup>	Soil runoff
Aluminum	No	1 per week	Average = 36.7 Range = ND to 80	ug/L	200	N/A	Erosion of natural deposits; discharge of drilling wastes; discharge from metal refineries
Barium	No	10/15/24	0.017	mg/L	2	MCL = 2	Erosion of natural deposits; discharge of drilling wastes; discharge from metal refineries
Chlorate	No	Monthly	Average = 230 Range = 80 to 410	μg/L	N/A	N/A	By-product of drinking water disinfection at treatment plants using sodium hypochlorite.
Chloride	No	10/15/24	37	mg/L	250	N/A	Naturally occurring or indicative of road salt contamination
Fluoride	No	10/15/24	0.06	mg/L	2.2	N/A	Erosion of natural deposits; Discharge form fertilizer and aluminum factories
Magnesium	No	10/15/24	5	mg/L	N/A	N/A	Naturally occurring
Nitrate	No	10/15/24	0.42	mg/L	10	MCL = 10	Runoff from fertilizer, Leaking septic tanks, sewage, erosion of natural deposits
Sodium	No	Monthly	Average = 24.7 Range = 18 to 33	mg/L	N/A	N/A <sup>5</sup>	Naturally occurring; Road salt; Water softeners; Animal waste
Sulfate	No	10/15/24	14	mg/L	N/A	MCL = 250	Naturally occurring
Plant Effluen	t - Dis	infectant	S	I		1	
Free Chlorine Residual	No	Continuous Monitoring <sup>1</sup>	Average = 2.50 Range = 1.62 to 3.61	mg/L	N/A	MCL = 4 <sup>6</sup>	Water additive used to control microbes.
Plant Effluen	t - Dis	infection	Byproducts				
Total Trihalomethanes (chloroform, bromo- dichloromethane, dibromochloro-methane, and bromoform)	No	02/14/24 05/08/24 08/14/24 11/13/24	Stage 2 Calculation <sup>7</sup> Highest LRAA = 4.5 (Range of detects = 1.08 to 7.09)	μg/L	N/A	MCL = 80 for four-quarter average	By-product of drinking water chlorination needed to kill harmful organisms. TTHMs are formed when source water contains large amounts of organic matter.
Haloacetic Acids (mono-, di-, and trichloroacetic acid, and mono- and di-bromoacetic acid)	No	02/14/24 05/08/24 08/14/24 11/13/24	Stage 2 Calculation <sup>7</sup> Highest LRAA = 5.30 (Range of detects = 2.68 to 3.85)	μg/L	N/A	MCL = 60 for four-quarter average	By-product of drinking water disinfection needed to kill harmful organisms.
Plant Effluen	t – Sy	nthetic C	rganic Conta	aminai	nts		
Perfluorooctanoic acid (PFOA)	No	02/15/24 05/08/24 09/24/24 12/12/24	Average = 1.475 Range = ND to 3.0	ng/L	N/A	MCL = 10	Released into the environment from widespread use in commercial and industrial applications.
Perfluorooctane sulfonic acid (PFOS)	No	02/15/24 05/08/24 09/24/24 12/12/24	Average = 1.25 Range = ND to 2.1	ng/L	N/A	MCL = 10	Released into the environment from widespread use in commercial and industrial applications.
Plant Effluen	t – Ra	diologica	al Contamina	nts	•		
Beta particle and photo radioactivity from manmade radionuclides	No	10/15/24	2.62	pCi/L	0	MCL = 4 mrem per year <sup>8</sup>	Decay of natural deposits and man-made emissions.
Combined Radium 226 + 228	No	10/15/24	1.14	pCi/L	0	5	Erosion of natural deposits
-	Synth	netic Orga	anic Contami	nants	1	1	1
Perfluorooctanoic acid (PFOA)	No	09/25/24 12/12/24	Average = 1.8 Range = ND to 2.6	ng/L	N/A	MCL = 10	Released into the environment from widespread use in commercial and industrial applications.

- 1. Continuous monitoring is performed by inline meters. The values in this table are from the bench readings taken by operators every two hours to confirm the inline meter readings.
- Turbidity is a measure of the cloudiness of the water. We test it because it is a good indicator of the effectiveness of our filtration system.
   Our highest single turbidity measurement on the plant effluent (0.17 NTU) occurred on 02/08/24. An MCL violation occurs when the average of all daily entry point analyses for the month exceed the MCL of 1 NTU or when the daily two-day average exceeds 5 NTU.
- The turbidity of each filter is monitored to determine treatment compliance. State regulations require that turbidity must always be below 1 NTU. State regulations require that 95% of samples are below 0.3 NTU. In 2024, 100% of samples were less than 0.3 NTU. The highest filter turbidity reading (0.266 NTU) occurred on 02/07/24.
- 4. If iron and manganese are present, the total concentration of both should not exceed 500 ug/L
- 5. Water containing more than 20 mg/L of sodium should not be used for drinking by people on severely restricted sodium diets. Water containing more than 270 mg/L of sodium should not be used for drinking by people on moderately restricted sodium diets.
- 6. The value presented represents the Maximum Residual Disinfectant Level (MRDL) which is a level of disinfectant added for water treatment that may not be exceeded at the consumer's tap without an unacceptable possibility of adverse health effects.
- 7. The regulation requires a Locational Running Annual Average (LRAA) be calculated by averaging the results of the 4 most recent quarters. The LRAA reported in this table is the highest LRAA obtained in 2024.

8. The State considers 50 pCi/L to be the level of concern for beta particles.

#### **Table Definitions**

NYSDOH: New York State Department of Health

**USEPA:** United States Environmental Protection Agency

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in the drinking water.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

NTU (Nephelometric Turbidity Unit): A measure of the clarity of the water. Turbidity in excess of 5.0 NTU is just noticeable to the average person.

TT: Treatment Technique

N/A: Not Applicable

ND: Not Detected

ng/L (nanograms per liter): Corresponds to one mass part in one trillion parts of another liquid (parts per trillion)

mg/L (milligrams per liter): Corresponds to one mass part in one million parts of another liquid (parts per million)

µg/L (micrograms per liter): Corresponds to one mass part in one billion parts of another liquid (parts per billion)

pCi/L (Picocuries per liter): A measure of the radioactivity in water.

mrem/yr (millirems per year): A measure of radiation absorbed by the body.

# Lead in Your Drinking Water

The facility adds phosphoric acid at 2.3 mg/L to the treated water in order to protect lead plumbing in customer's homes. This program has resulted in significantly reducing lead levels in most homes. We are required to present the following information on lead in drinking water:

Lead can cause serious health effects in people of all ages, especially pregnant people, infants (both formula-fed and breastfed), and young children. Lead in drinking water is primarily from materials and parts used in service lines and in home plumbing. Poughkeepsies' Water Treatment Facility is responsible for providing high quality drinking water and removing lead pipes but cannot control the variety of materials used in the plumbing in your home. Because lead levels may vary over time, lead exposure is possible even when your tap sampling results do not detect lead at one point in time. You can help protect yourself and your family by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Using a filter, certified by an American National Standards Institute accredited certifier to reduce lead, is effective in reducing lead exposures. Follow the instructions provided with the filter to ensure the filter is used properly. Use only cold water for drinking, cooking, and making baby formula. Boiling water does not remove lead from water. Before using tap water for drinking, cooking, or making baby formula, flush your pipes for several minutes. You can do this by running your tap, taking a shower, doing laundry or a load of dishes. If you have a lead service line or galvanized requiring replacement service line, you may need to flush your pipes for a longer period. If you are concerned about lead in your water and wish to have your water tested, contact Poughkeepsies' Water Treatment Facility at 845-451-4173. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at https://www.epa.gov/safewater/lead

#### What Does This Information Mean?

As you can see by the table, our system had no violations. We have learned through our testing that some contaminants have been detected; however, these contaminants were detected below the level allowed by the State.

### Is Our Water System Meeting Other Rules That Govern Operations?

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In 2024, it was noted we did not complete all required testing in 2023 and were therefore issued a monitoring violation. The required testing was performed in April of 2024, and the violation was resolved.

## Do I Need to Take Special Precautions?

Although our drinking water met or exceeded state and federal regulations, some people may be more vulnerable to disease

causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

## Why Save Water and How to Avoid Wasting It?

Although our water source has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- Saving water saves energy and some of the costs associated with both of these necessities of life;
- Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential firefighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it up and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.
- Use your water meter to detect hidden leaks. Simply turn off all taps and water using appliances, then check the meter after 15 minutes, if it moved, you have a leak.

Thank you for allowing us to continue to provide your family with quality drinking water this year. We ask that all our customers help us protect our water sources, which are the heart of our community and our way of life.